CLAIMS

1-13. (Canceled)

- 14. (Original) A distributed biofeedback system for managing a biofeedback session, comprising:
 - (a) an input means for receiving data from a user;
 - (b) an output means for communicating feedback to a user;
 - (c) a primary local loop having an input connected to the input means and an output connected to the output means;
 - (d) a secondary local loop having an input connected to the input of the primary local loop and an output connected to the output of the primary local loop;
- (e) a primary remote loop having an input connected to the input of the secondary local loop and an output connected to the, the secondary local loop output.
- 15. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 14, wherein the input of the primary remote loop and the input of the secondary local loop are connected by the Internet; and the output of the primary remote loop and the output of the secondary local loop are connected by the Internet.
- 16. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 14, further comprising a secondary remote loop having an input connected to the input of the primary remote loop and an output connected to the output of the primary remote loop.
- 17. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 16, further comprising remote output means for communicating data to a monitor at a remote location; remote input means for receiving input from the monitor at the remote location.
- 18. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 17 further comprising a local database for storing and retrieving input and output data from the primary local loop and the secondary local loop; a remote database for storing and retrieving input and output data from the primary remote loop

Page: 004-008

Date: 12/22/04 Time: 3:07 PM To:

Docket No. 109783.0001

and the secondary remote loop.

@ 1.703.872.9306

- 19. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 17 wherein the secondary remote loop is spatially separate from the primary remote loop, the input of the secondary remote loop is connected to the input of the primary remote loop by the Internet, the output of the secondary remote loop is connected to the output of the primary remote loop by the Internet.
- (Original) The distributed biofeedback system for managing a biofeedback 20. session as in claim 19 further comprising a local database for storing and retrieving input and output data from the primary local loop and the secondary local loop; a remote database for storing and retrieving input and output data from the primary remote loop; a mediator database for storing and retrieving input and output data from the secondary remote loop.
- (Original) A distributed biofeedback system for managing a biofeedback session, comprising:
 - (a) an input means for receiving data from a user;
 - an output means for communicating feedback to the user; (b)
 - an input node connected to the input means for receiving data from the (c) input means;
 - a first-level data node connected to the input node, receiving and (d) processing data received from the input node;
 - a remote input node connected to the first-level data node, receiving data (e) from the first remote input node and further processing the data and preparation of the data for remote outputting;
 - a remote feedback node having remote feedback inputs connected to the (f) remote input means, producing a remote feedback output responsive to the remote feedback inputs;
 - a first-level feedback node having first-level feedback inputs connected to (g) the first-level input and the remote feedback output, producing a first-level

feedback output responsive to the first-level feedback inputs;

- (j) a primary feedback node having primary feedback inputs connected to the primary input node and the first-level feedback output, producing a primary feedback output for controlling the output means.
- 22. (Original)The distributed biofeedback system for managing a biofeedback session as in claim 21, further comprising a local database for storing and retrieving data from the local node, first-level input node, first-level feedback node, and primary feedback node.
- 23. (Original)The distributed biofeedback system for managing a biofeedback session as in claim 22, further comprising a remote database for storing and retrieving data from the remote input node and remote feedback node.
- 24. (Original)The distributed biofeedback system for managing a biofeedback session as in claim 23, further comprising remote output means connected to the remote feedback node for communicating data to a monitor at a remote location; and remote input means for receiving input from the monitor at the remote location.
- 25. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 21, further comprising:
 - (a) a second remote input node connected to the remote input node receiving data from the remote input node and further processing the data and preparation of the data for remote outputting;
 - (b) remote output means connected to the second remote feedback node for communicating data to a monitor at a remote location;
 - (c) remote input means for receiving input from the monitor at the remote location;
 - (d) a second remote feedback node having secondary remote feedback inputs connected to the remote input means and second remote input node,

producing a second remote feedback output responsive to the secondary remote feedback inputs, the second remote feedback output being connected to one of the inputs of the remote feedback node.

- 26. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 25, wherein the remote node is connected to the first-level input node by the Internet and the remote feedback output is connected to the first-level feedback node by the Internet.
- 27. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 26, wherein the second remote node is connected to the remote node by the Internet and the output of the second remote feedback node is connected to the input of the remote feedback node by the Internet.
- 28. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 27, further comprising:
 - (a) a local database for storage and retrieval of data input into the data node and the first-level data node, and data output from the primary feedback node and the first-level feedback node;
 - (b) a first remote database for storage and retrieval of data input into the remote data node, and data output from the remote feedback node;
 - (c) a second remote database for storage and retrieval of data input into the second remote input node, and data output from the second remote node.
 - 29. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 28, further comprising computer readable instructions on a computer readable medium having instructions for selecting and outputting data from the local database to the remote output means; and computer readable instructions for selecting and outputting data from the first remote database to the remote output means; and computer readable instructions for selecting and outputting data from the second remote database to the output means.

- 30. (Original) The distributed biofeedback system for managing a biofeedback session as in claim 29, further comprising computer readable instructions for controlling the output of the primary feedback node from the remote input means; computer readable instructions for controlling the output of the remote feedback node from the remote input means, and; computer readable instructions for controlling the output of the second remote feedback node from the remote input means.
- 31. (Canceled).
- 31'-36. (Canceled).